

JUL 27 2004

OFFICIAL

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
Group Art Unit 3677
Attorney Docket No. 14256-70In re
Patent Application of:

Nilsen et al.

Serial No.: 10/657,556

Filed: September 8, 2003

Examiner: Schiffman, Jori

"THREADED FASTENER NUT WITH ANTI-CROSS THREADING RADIUSED FEATURES AND TACTILE FEEDBACK FEATURES"Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an Amendment in the above-identified application. No extension of time in which to file a response is believed necessary. However, if an extension of time is required, please consider this a petition therefore and charge any additional fees which may be required as set forth below. No additional claim fee is due. However, please debit any deficiency to Deposit Account No. 09-0025 as may be required in connection with the submission of this Amendment. IN NO EVENT CAN THE ISSUE FEE BE CHARGED TO THE DEPOSIT ACCOUNT.

Respectfully submitted,



Paul F. Donovan

Reg. No. 39,962

Illinois Tool Works Inc.
3600 West Lake Avenue
Glenview, Illinois 60025
Telephone (847) 657-4075
FAX (847) 724-4160

Page 1 of 1

JUL 27 2004

OFFICIAL

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group Art Unit 3677

Attorney Docket No. 14256-70

In re

Patent Application of:


Nilsen et al.

Serial No.: 10/657,556


Filed: September 8, 2003

Examiner: Schiffman, Jori

I, Paul F. Donovan, hereby certify that this correspondence is being facsimile transmitted to the Patent and Trademark Office (Fax No. (703) 872-9306), on the date of my signature.



Signature



Date of Signature

“THREADED FASTENER NUT WITH ANTI-CROSS THREADING RADIUSED FEATURES AND TACTILE FEEDBACK FEATURES”

AMENDMENT A

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This communication is filed in response to the Office Action mailed May 4, 2004. It is respectfully requested that the above-identified application be amended as set forth below.